

## 1. Product and Company Identification

**Product Identifier:** HazMat, Oil-Only and Universal Polypropylene Absorbents

**General Use:** Polypropylene Absorbents are designed to confine and absorb leaks, drips, over-spray and spills of various liquids.

**Product Description:** Pads and rolls available in a variety of shapes, sizes and colors.

**Specific Product Identifiers:** (includes but not limited to) Responder™ Mats, Defender™ Mats, Commander™ Mats, Polybacked Commander™ Mats, Protector™ Mats, Survivor™ Mats, Transformer™ Mats, AirLaid™ Mats, TrackMat, RigMat, Polybacked RigMat, DrumTops, Sweep

**COMPANY PROFILE:**

SpillTech  
Brookley Aeroplex  
Mobile, AL 36615

**TELEPHONE NUMBERS:**

Emergency: (770) 929-6609  
Technical Information: 1 (800) 228-3877  
www.spilltech.com

---

## 2. Hazards Identification

**GHS Classification:** Not a dangerous substance according to GHS

**POTENTIAL HEALTH EFFECTS:**

**Eye Contact:** No hazard in normal use of product. If dust is generated, may scratch the eyes.

**Ingestion:** No hazard in normal use of product.

**Inhalation:** No hazard in normal use of product. If dust is generated, may cause minor irritation to the respiratory tract. Low order of toxicity.

**Skin Contact:** No hazard in normal use of product.

**Chronic:** Not applicable.

---

## 3. Composition / Information on Ingredients

CAS: 9003-07-0                      Polypropylene                      100%

May contain one or more of the following:

CAS: Proprietary	Surfactant
CAS: Proprietary	Dye pigment
CAS: None	Metal hardware
CAS: 25038-59-9	Polyester netting
CAS: 9003-07-0	Polypropylene rope
CAS: 9002-88-4	Polyethylene pans

These products do not contain any hazardous ingredients

---

## 4. First Aid Measures

**Eye Contact:** Not normally applicable. If discomfort occurs, flush thoroughly with water. If irritation occurs, seek medical attention.

**Ingestion:** Not applicable.

**Inhalation:** Not normally applicable. If discomfort occurs, seek medical attention.

**Skin Contact:** Not applicable.

---

## 5. Fire Fighting Measures

**Extinguishing Media:** Unused form: CO<sub>2</sub>, water fog, foam or dry chemical. Do NOT use straight streams of water. Used form: that which is compatible to liquid(s) absorbed.

**Special Fire Fighting Procedures:** None. Refer to absorbed liquid(s) SDS(s).

**Hazardous Combustion Products:** Smoke, fume, incomplete combustion products, oxides of carbon, flammable hydrocarbons.

**Unusual Hazards:** When heated, the vapors/fumes given off may cause respiratory tract irritation. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Refer to absorbed liquid(s) SDS(s) before proceeding. Material can accumulate static charges which may cause an ignition. Oil-Only Static Dissipative Polypropylene Absorbents do not render liquids nonflammable, neutral or less hazardous.

---

## 6. Accidental Release Measures

**Spill or Leak Procedures:** If material is unused, sweep or pick up and dispose of as a non-hazardous material.

---

## 7. Handling and Storage

**Handling and Storing Precautions:** Minimize dust generation and accumulation. Store in cool, dry place.

**General:** Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Refer to absorbed liquid(s) SDS(s) before proceeding.

The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can occur.

---

## 8. Exposure Controls / Personal Protection

**Exposure Limits:** None

**Engineering Controls:** None required.

### PERSONAL PROTECTION

**Eyes:** Safety glasses with side shields are a good industrial practice.

**Respirator:** None required.

**Gloves:** Not normally required. However, cloth, canvas or leather gloves are a good industrial practice.

**Other:** None required.

\*\*In its present form, there is little or no dust to present an OSHA hazard\*\*

---

## 9. Physical and Chemical Properties

**Appearance:** soft pads and rolls, can be various colors

**Odor:** None to mild

**Odor Threshold:** Not established

**pH:** Not available

**Flash Point:** Not known

**Method:** Not applicable

**Auto Ignition:** Not available

**Flammability or Explosive Limits:** Not determined

**Conditions of Flammability:** Not determined

**Melting Point/Freezing Point:** 150° - 170°C

**Boiling Point / Boiling Range:** Not available

**Evaporation Rate:** Not available

**Vapor Pressure:** Not applicable

**Vapor Density:** Not available

**Relative Density:** Not established

**Solubility in Water:** Negligible

**Coefficient of Water/Oil Distribution:** Not applicable

**Bulk Density at 20°C:** 0.4 g/cc – 0.7 g/cc

---

## 10 Stability and Reactivity

**General:** Stable under normal conditions.

**Conditions of Reactivity:** Not established

**Incompatible Materials:** Strong oxidizing agents may degrade product over an extended period of time, fluorine

**Conditions to Avoid:** Open flame, elevated temperatures for prolonged periods of time.

**Hazardous Decomposition:** Material does not decompose at ambient temperatures.

**Hazardous Polymerization:** Will not occur

---

## 11 Toxicological Information

**LD50:** Not available

**LC50:** Not available

**Carcinogenicity:** IARC: No  
NTP: No  
OSHA: No  
California Prop 65: No listed ingredient

**Chronic/Other Effects:** Dust may be irritating to the eyes and respiratory tract. Elevated temperatures or mechanical action may form vapors, mists or fumes which may be irritating to the eyes and respiratory tract.

**Reproduction Toxicity:** Not available

**Teratogenicity:** Not available

**Mutagenicity:** Not available

**Synergistic Products:** Not available

---

## 12 Ecological Information

Not expected to be harmful to aquatic or terrestrial organisms.

---

## 13 Waste Disposal Considerations

**Waste Disposal Method:** If unused, no special precautions are necessary.

If used, refer to absorbed liquid(s) SDS(s) before proceeding. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Therefore, in certain types of cleanup applications the nature of the material recovered will classify the resulting spent material as a hazardous component. In such instances the material should be disposed of via an approved hazardous waste disposal service and the appropriate manifesting obtained. Dispose of in accordance with Federal, State and local regulations.

---

## 14 Transportation Information

**DOT (Department of Transportation)**

**Proper Shipping Name:** Not regulated

**Hazard Class:** Not regulated

**Identification Number:** Not applicable

---

## 15 Regulatory Information

**OSHA Hazard Communication Standard, 29 CFR 1910.1200:** None.

**SARA Title III (Superfund Amendments and Reauthorization Act):** No listed ingredient

**TSCA (Toxic Substances Control Act):** Ingredients of this product are on the Inventory list.

---

## 16 Other Information

**Reason for Issue:** Reviewed, change to Section 16

**Prepared by:** Dale Gatehouse, Entreprises Krenda Inc.

**Approved by:** Robin Thornett, Marketing Manager, SpillTech

**Approval Date:** December 5, 2018

**Previous Date of Issue:** June 15, 2015

**SDS Code:** SDS101

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.

## 1. Product and Company Identification

**Product Identifier:** HazMat, Oil-Only and Universal Poly Blend Filled Products

**General Use:** Poly Blend Products absorb high-volume leaks, drips and spills.

**Product Description:** An absorbent in various forms made of polypropylene with recycled poly blend filler.

**Specific Product Identifiers:** *(includes but not limited to)* Poly Blend Socks, Poly Blend Pillows, Sock/Net Boom, Bilge Boom, DripPans, Pillow-in-a-Pans, Net Bag Pillow

**COMPANY PROFILE:**

SpillTech  
Brookley Aeroplex  
Mobile, AL 36615

**TELEPHONE NUMBERS:**

Emergency: (770) 929-6609  
Technical Information: 1 (800) 228-3877  
[www.spilltech.com](http://www.spilltech.com)

---

## 2. Hazards Identification

**GHS Classification:** Not a dangerous substance according to GHS

**POTENTIAL HEALTH EFFECTS:**

**Eye Contact:** No hazard in normal use of product. If outer material is punctured, may cause irritation.

**Ingestion:** No hazard in normal use of product.

**Inhalation:** No hazard in normal use of product.

**Skin Contact:** No hazard in normal use of product.

**Chronic:** Not applicable.

---

## 3. Composition / Information on Ingredients

*Inner material:*

CAS: 9003-07-0	Polypropylene blend	95%
----------------	---------------------	-----

*Outer material:*

CAS: 9003-07-0	Polypropylene	5%
----------------	---------------	----

*May contain one or more of the following:*

CAS: Proprietary	Surfactant	1.4%
CAS: Proprietary	Dye pigment	0.3%
CAS: None	Metal hardware	
CAS: 25038-59-9	Polyester netting	
CAS: 9003-07-0	Polypropylene rope	
CAS: 9002-88-4	Polyethylene pans	

These products do not contain any hazardous ingredients

---

## 4. First Aid Measures

**Eye Contact:** Not normally applicable. If discomfort occurs, flush with fresh water, seek medical attention.

**Ingestion:** Not normally applicable. If discomfort occurs, seek medical attention.

**Inhalation:** Not applicable.

**Skin Contact:** Not normally applicable. If discomfort occurs, wash with soap and water.

---

## 5. Fire Fighting Measures

**Extinguishing Media:** Unused form: CO<sub>2</sub>, water, foam or dry chemical. Used form: that which is compatible to liquid(s) absorbed.

**Special Fire Fighting Procedures:** None. Refer to absorbed liquid(s) SDS(s).

**Hazardous Combustion Products:** Aldehydes, ethanol, methanol, acetic acid, acetone, paraffin and oxides of carbon.

**Unusual Hazards:** When heated, the vapors/fumes given off may cause respiratory tract irritation. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Refer to absorbed liquid(s) SDS(s) before proceeding.

---

## 6. Accidental Release Measures

**Spill or Leak Procedures:** If material is unused, sweep or pick up and dispose of as a non-hazardous material.

---

## 7. Handling and Storage

**Handling and Storing Precautions:** Store in cool, dry place.

**General:** Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Refer to absorbed liquid(s) SDS(s) before proceeding.

The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can occur.

---

## 8. Exposure Controls / Personal Protection

**Exposure Limits:** None

**Engineering Controls:** None required.

### PERSONAL PROTECTION

**Eyes:** Safety glasses with side shields is a good industrial practice.

**Respirator:** None required.

**Gloves:** Not normally required. However, cloth, canvas or leather gloves is a good industrial practice.

**Other:** None required.

\*\*In its present form, there is little or no dust to present an OSHA hazard\*\*

---

## 9. Physical and Chemical Properties

**Appearance:** various sizes, shapes and colors. Filler is a loose solid material.

**Odor:** None

**Odor Threshold:** Not applicable

**pH:** Not applicable

**Flash Point:** Not known

**Method:** Not applicable

**Auto Ignition:** Not known

**Flammability or Explosive Limits:** Not available.

**Conditions of Flammability:** Not established

**Melting Point/Freezing Point:** Not applicable

**Boiling Point / Boiling Range:** Not applicable

**Evaporation Rate:** Not applicable

**Vapor Pressure:** Not applicable

**Vapor Density:** Not applicable

**Relative Density:** Not applicable

**Solubility in Water:** Insoluble

**Coefficient of Water/Oil Distribution:** Not applicable

---

## 10 Stability and Reactivity

**General:** Stable under normal conditions.

**Conditions of Reactivity:** Not established

**Incompatible Materials:** Strong oxidizing agents may degrade product over an extended period of time.

**Conditions to Avoid:** Open flame.

**Hazardous Decomposition:** None known

**Hazardous Polymerization:** Will not occur

---

## 11 Toxicological Information

**LD50:** Not available

**LC50:** Not available

**Carcinogenicity:** IARC: No  
NTP: No  
OSHA: No  
California Prop 65: No listed ingredient

**Chronic/Other Effects:** Not available

**Reproduction Toxicity:** Not available

**Teratogenicity:** Not available

**Mutagenicity:** Not available

**Synergistic Products:** Not available

---

## 12 Ecological Information

Compatible with municipal solid waste system and will not pose a hazard to the environment when the waste is properly handled.



---

## 13 Waste Disposal Considerations

**Waste Disposal Method:** If unused, no special precautions are necessary.

If used, refer to absorbed liquid(s) SDS(s) before proceeding. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Therefore, in certain types of cleanup applications the nature of the material recovered will classify the resulting spent material as a hazardous component. In such instances the material should be disposed of via an approved hazardous waste disposal service and the appropriate manifesting obtained. Dispose of in accordance with Federal, State and local regulations.

---

## 14 Transportation Information

**DOT (Department of Transportation)**

**Proper Shipping Name:** Not regulated

**Hazard Class:** Not regulated

**Identification Number:** Not applicable

---

## 15 Regulatory Information

**OSHA Hazard Communication Standard, 29 CFR 1910.1200:** None.

**SARA Title III (Superfund Amendments and Reauthorization Act):** No listed ingredient

**TSCA (Toxic Substances Control Act):** Ingredients of this product are on the Inventory list.

---

## 16 Other Information

**Reason for Issue:** Reviewed, change to Section 16

**Prepared by:** Dale Gatehouse, Entreprises Krenda Inc.

**Approved by:** Robin Thornett, Marketing Manager, SpillTech

**Approval Date:** December 5, 2018

**Previous Date of Issue:** June 15, 2015

**SDS Code:** SDS104

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.

## 1. Product and Company Identification

**Product Identifier:** Cellulose Filled Products

**General Use:** Cellulose Filled Products absorb high-volume leaks, drips and spills.

**Product Description:** Absorbents are designed to confine and absorb large amounts of oil and water-based non-aggressive leaks and spills. They absorb liquids such as oils, water, coolants and solvents around machinery, drums, etc.

**Specific Product Identifiers:** (includes but not limited to) Cellulose Socks, Cellulose Pillows, DripPans, Pillow-in-a-Pans

**COMPANY PROFILE:**

SpillTech  
Brookley Aeroplex  
Mobile, AL 36615

**TELEPHONE NUMBERS:**

Emergency: (770) 929-6609  
Technical Information: 1 (800) 228-3877  
www.spilltech.com

---

## 2. Hazards Identification

**GHS Classification:** Not a dangerous substance according to GHS

**POTENTIAL HEALTH EFFECTS:**

**Eye Contact:** No hazard in normal use of product. If outer material is punctured, may cause irritation.

**Ingestion:** No hazard in normal use of product.

**Inhalation:** If outer material is punctured, breathing of excessive airborne dust may cause symptoms typical of nuisance dusts such as coughing, sneezing or minor respiratory irritation.

**Skin Contact:** Irritation may occur at high concentrations. If outer material is punctured and skin is wet, may cause irritation.

**Chronic:** Not applicable.

---

## 3. Composition / Information on Ingredients

*Outer material:*

CAS: 9003-07-0	Polypropylene	100%
----------------	---------------	------

*Inner material:*

CAS: 9003-07-0	Cellulose Fiber	90-98%
EC: 232-674-9		
CAS: 68333-79-9	Ammonium polyphosphate	<4%
EC: 269-789-9		
CAS: 7783-20-2	Ammonium sulphate	<0.1%
EC: 231-984-1		

*May contain:*

CAS: 9002-88-4	Polyethylene pans
CAS: None	Metal hardware

These products do not contain any hazardous ingredients

---

## 4. First Aid Measures

**Eye Contact:** Flush with water for 15 minutes. If irritation persists, seek medical attention.

**Ingestion:** Not considered harmful in small quantities. If discomfort occurs, seek medical attention.

**Inhalation:** Remove to fresh air if excessive amounts of dust inhaled.

**Skin Contact:** Wash with water to prevent irritation.

---

## 5. Fire Fighting Measures

**Extinguishing Media:** Unused form: standard ABC fire extinguisher. Used form: that which is compatible to liquid(s) absorbed.

**Special Fire Fighting Procedures:** A self-contained breathing apparatus should be worn. Refer to absorbed liquid(s) SDS(s).

**Hazardous Combustion Products:** Incomplete burning can produce carbon monoxide and other harmful products. When heated, it may release ammonia gas (this material is a fire retardant).

**Unusual Hazards:** When heated, the vapors/fumes given off may cause respiratory tract irritation. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Refer to absorbed liquid(s) SDS(s) before proceeding. Material can accumulate static charges which may cause an ignition.

---

## 6. Accidental Release Measures

**Spill or Leak Procedures:** If material is unused, sweep or pick up and dispose of as a non-hazardous material.

---

## 7. Handling and Storage

**Handling and Storing Precautions:** Avoid puncturing or tearing outer material. Avoid creating dust.

**Storage Precautions:** Store at room temperature.

**General:** Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Refer to absorbed liquid(s) SDS(s) before proceeding.

The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can occur.

---

## 8. Exposure Controls / Personal Protection

**Engineering Controls:** Provide general and/or local exhaust ventilation to keep concentrations below PEL/TLV.

### PERSONAL PROTECTION

**Eyes:** Safety glasses with side shields are a good industrial practice.

**Respirator:** Use NIOSH/MSHA approved dust respirator if material is used in unventilated area, or if dust concentrations exceed specified exposure limits.

**Gloves:** Not normally required. However, cloth, canvas or leather gloves are a good industrial practice.

**Other:** None required.

### Exposure Limits:

#### OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

	EXPOSURE LIMITS 8 hrs. TWA		
	OSHA PEL	ACGIH TLV	
Cellulose (Total)	15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>	
Cellulose (Respirable)	5 mg/m <sup>3</sup>	N.E.	N.E. = Not Established

\*\*In its present form, there is little or no dust to present an OSHA hazard\*\*

---

## 9. Physical and Chemical Properties

**Appearance:** Ground up gray cellulose in pillow or sock, some inside a black pan.

**Odor:** May have an ammonia-like or slight damp odor.

**Odor Threshold:** Not applicable

**pH:** Not applicable

**Flash Point:** Not known

**Method:** Not applicable

**Auto Ignition:** >450  F (>232  C)

**Flammability or Explosive Limits:**

Not available.

**Conditions of Flammability:** Not established

**Melting Point/Freezing Point:** *Outer Material:*  
302° – 338°F (150° – 170°C)

**Boiling Point / Boiling Range:** Not applicable

**Evaporation Rate:** Not applicable

**Vapor Pressure:** *Inner Material:*

Negligible @ 68°F (20°C)

**Vapor Density:** Not applicable

**Relative Density (H2O = 1):** 0.7 - 0.85

**Solubility in Water:** *Inner Material:* Cellulose fibers are not soluble. Fire retardant: Miscible

**Coefficient of Water/Oil Distribution:**

Not applicable

---

## 10 Stability and Reactivity

**General:** This is a stable material.

**Conditions of Reactivity:** Not established

**Incompatible Materials:** Strong oxidizing agents, acids and bases.

**Conditions to Avoid:** Open flame.

**Hazardous Decomposition:** Ammonia. If heated above 500° F (260° C): sulfur dioxide

**Hazardous Polymerization:** Will not occur

---

## 11 Toxicological Information

**LD50:** Not available

**LC50:** Not available

**Carcinogenicity:** IARC: Not established  
NTP: Not established  
OSHA: Not established  
California Prop 65: No listed ingredient

**Chronic/Other Effects:** Not available

**Reproduction Toxicity:** Not available

**Teratogenicity:** Not available

**Mutagenicity:** Not available

**Synergistic Products:** Not available

**Irritancy of Product:** See Section 2.

**Sensitization to Product:** Not available

**Ammonium polyphosphate:** *Ingestion:* The oral LD50 for rats is > 2000 mg/kg.

**Ammonium sulfate:** *Ingestion:* The oral LD50 for rats is 2840 mg/kg.

---

## 12 Ecological Information

No data available.

---

## 13 Waste Disposal Considerations

**Waste Disposal Method:** If unused, no special precautions are necessary. This product is not subject to the 40 CFR Part 268.30 land ban on the disposal of certain hazardous wastes.

If used, refer to absorbed liquid(s) SDS(s) before proceeding. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Therefore, in certain types of cleanup applications the nature of the material recovered will classify the resulting spent material as a hazardous component. In such instances the material should be disposed of via an approved hazardous waste disposal service and the appropriate manifesting obtained. Dispose of in accordance with Federal, State and local regulations.

---

## 14 Transportation Information

**DOT (Department of Transportation)**

**Proper Shipping Name:** Not regulated

**Hazard Class:** Not regulated

**Identification Number:** Not applicable

---

## 15 Regulatory Information

**CERCLA (Comprehensive Environmental Response Compensation and Liability Act):** No Reportable Quantity

**OSHA Hazard Communication Standard, 29 CFR 1910.1200:** Cellulose

**SARA Title III (Superfund Amendments and Reauthorization Act):** No listed ingredient

**TSCA (Toxic Substances Control Act):** All ingredients are listed.

---

## 16 Other Information

**NFPA Hazard Ratings:**

Health - 0
none → extreme
0 → 4
Fire - 1
Reactivity - 0

**WHMIS Classification:** Not a controlled product.

**Prepared by:** Robin Thornett, Marketing Manager, SpillTech

**Approved by:** Robin Thornett, Marketing Manager, SpillTech

**Approval Date:** June 15, 2015

**SDS Code:** SDS105

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.