

# Essen


5967A2DC1



CHEMtex

## Coverall

Thanks to the double-sided PVC-coated polyester fabric, the Essen coverall is perfectly suited for intensive use in industrial environments. The coverall is exceptionally strong and tear-resistant and protects you against chemicals, oil and grease. The fixed hood with peak and the elastic wind cuffs in the sleeves and at the legs offer more than adequate protection.



# Coverall

**Essen - 5967A2DC1**

## European Standards: *(based upon size L)*

- » EN 14605 : 2005 + A1 : 2009 Type 3
- » EN 14605 : 2005 + A1 : 2009 Type 4
- » EN 343 : 2019 / Class 4-1-X
- » EN ISO 13688 : 2013

## Exterior:

- » Fixed hood with peak
- » Zip closure under double flap with touch and close fastening and press studs
- » Raglan sleeves

## Interior:

- » Unlined
- » Elasticated wind cuff in sleeves and ankles

## Fabric:

Chemtex: Double sided PVC coated polyester fabric;  $\pm 360 \text{ g/m}^2$

## Sizes:

S - XXXXL

## Colour:

- » J40 Green Jade

## Packaging:

10 pieces per box

## Wash and care instructions:



### SIOEN head office

Fabriekstraat 23  
B-8850 Ardooie  
Belgium  
T: +32 (51) 740 800  
F: +32 (51) 740 962  
[www.sioen-ppc.com](http://www.sioen-ppc.com)



**Discover  
our products**

© 2020 Sioen Apparel - Protection through Innovation, Flexothane®, Siopor® and the SIOEN logo are trademarks of the Sioen Industries Group.

Please note that all information given in this document is intended to be useful and informative and is correct to the best of our knowledge at time of print. No liability can be accepted for inaccuracies or omissions. The right is reserved to amend this information without prior notice. All our technical files, style descriptions, presentations, designs and drawings, give the latest update of the standards and design or style features of each product. However, delivered products may comply with previous standards, design or style features. For that Sioen disclaims any liability whatsoever. Contact our sales for full information if specific requirements are needed.