



**PRODUCT NUMBER: NF11HD**

## **Cold Grip - NF11HD**

Handling in cold conditions of damp, oily or greasy parts. Ideally suited to tasks where workers need protection from the cold, but don't want to give up comfort and dexterity.

# Honeywell

## Overview

**Reference Number**

NF11HD

**Product Type**

Gloves

**Range**

Thermal Protection

**Line**

Cold Protection

**Brand**

Honeywell

**Brand formerly known as**

NORTH

**Industry**

- Building and Construction
- General Industry
- Green Spaces
- Logistics
- Maintenance
- Offshore

**Product Use**

Handling in cold conditions of damp, oily or greasy parts. Ideally suited to tasks where workers need protection from the cold, but don't want to give up comfort and dexterity.

## Features & Benefits

**Feature**

Blue polyamide knitted glove 3/4 Black foam PVC HPT (hydropellent technology) coating Seamless brushed synthetic liner Elastic knitted wrist

**Benefit**

**COMFORT** The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort. Encapsulated air molecules provide a vibration absorption feature Coating won't stiffen when cold, so glove retains its flexibility **RESISTANCE** The Polyamide yarn reduces linting for the most sensitive applications and can be easily laundered for extended use. The foam PVC HPT is a soft, durable and flexible coating that repels liquids to provide a firm wet or dry grip. You need less pressure to handle an oily piece. It also provides an

## Cold Grip - NF11HD

excellent abrasion resistance equal to heavier gloves. The 7 gauge brushed synthetic liner ensures superior insulation from the cold down to -20°C. HYGIENE The dark colors make the glove less dirty.

### Technical Description

**Description**

Blue polyamide knitted glove 3/4 Black foam PVC HPT (hydropellent technology) coating Seamless brushed synthetic liner Elastic knitted wrist

**Product Technology**

Knitted dipped

**Gauge**

15 outer glove 7 inner glove

**Glove/liner color**

Blue / black

**Coating Type**

PVC HPT

**Length**

25 cm

**Harmlessness**

In conformity with the European standards.

**Dexterity**

Class 5

**Sizes**

9L, 10XL, 11XXL

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	2
Cutting resistance (Coupe test)	2
Tear resistance	3
Puncture resistance	1
Cutting resistance (TDM test)	X

### EN 511- Protection in cold temperatures:

Resistance to conductive cold	X
Resistance to contact cold	2
Water permeability	X

### Certifications

**EU Category PPE**

2

**EU Certification**

0075/797/162/06/18/1061

### Additional Information

**User Manual**

UI 205

## Maintenance

**Storage Information**

Minimum packaging : 12 pairs. Cartons of 72 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products.