



PRODUCT NUMBER: 1012433
**FALCON self-retracting
lifelines**

Galvanised steel cable - 6.2m



Overview

Reference Number

1012433

Product Type

Fall Protection

Range

Fall Arrest Blocks and Winches

Brand

Miller by Honeywell

Industry

- Industry
- Building and Construction

Product Use

Self-retracting lifeline is the ideal fall protection solution for construction, industrial, warehouse, utility, mining and confined space applications. Nearly indestructible, high-impact resistant nylon housing, galvanised steel cable.

Features & Benefits

Feature

Enhanced safety :

The quick-activating braking mechanism stops a fall within centimeters.

Fall indicator.

Greater comfort of use :

Lightweight.

No annual factory re-certification required : Reduced down time, lower cost of ownership and increased productivity.

Benefit

Self-retracting lifeline is the ideal fall protection solution for construction, industrial, warehouse, utility, mining and

confined space applications. Nearly indestructible, high-impact resistant nylon housing, galvanised steel cable and screwgate karabiner.

Technical Description

External

Housing

high-impact resistant nylon

Hub

Heat-treated aluminium

Cable

Ø4.5mm galvanised steel

Connectors

Snap hook:

raw material: zinc plated steel

opening: 19mm

breaking strength: >2000daN

EN 362

Dimensions

Length

255mm

Width

213mm

Thickness

101mm

Opening

17mm

Performance

Working Capacity (m)

6,2m

Breaking Strength

>1200daN

Weight (kg)

4.1kg

Operating Temperature

-30°C to +50°C

Complementary Information

Braking system : Bronze and stainless steel

Standard EN360

,

Certifications

 E.C. Declaration of Conformity

EC Category PPE

3

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0333 AFAQ/CTH

EC Attestation

 EC Attestation

EC Attestation Number

0082/490/160/04/09/0187

Additional Information

User Manual

NT90011466 IND H

User Information Sheet

User manual

Packaging

EAN Code

3660681030504

© Honeywell International Inc.



PRODUCT NUMBER: 1012434
FALCON self-retracting lifelines

Galvanised steel cable - 10m



Overview

Reference Number

1012434

Product Type

Fall Protection

Range

Fall Arrest Blocks and Winches

Brand

Miller by Honeywell

Industry

- Industry
- Building and Construction

Product Use

Self-retracting lifeline is the ideal fall protection solution for construction, industrial, warehouse, utility, mining and confined space applications. Nearly indestructible, high-impact resistant nylon housing, galvanised steel cable.

Features & Benefits

Feature

Enhanced safety :

The quick-activating braking mechanism stops a fall within centimeters.

Fall indicator.

Greater comfort of use :

Lightweight.

No annual factory re-certification required : Reduced down time, lower cost of ownership and increased productivity.

Benefit

Self-retracting lifeline is the ideal fall protection solution for construction, industrial, warehouse, utility, mining and confined space applications. Nearly indestructible, high-impact resistant nylon housing, galvanised steel cable.

Technical Description

External

Housing

high-impact resistant nylon

Hub

Heat-treated aluminium

Cable

Ø4.5mm galvanised steel

Connectors

Snap hook:

raw material: zinc plated steel

opening: 19 mm

breaking strength: >2000daN

EN 362

Dimensions

Length

255mm

Width

213mm

Thickness

101mm

Opening

17mm

Performance

Working Capacity (m)

10m

Breaking Strength

>1200daN

Weight (kg)

5kg

Operating Temperature

-30°C to +50°C

Complementary Information

Braking system : Bronze and stainless steel

Standard EN360

,

Certifications

 E.C. Declaration of Conformity

EC Category PPE

3

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0333 AFAQ/CTH

EC Attestation

 EC Attestation

EC Attestation Number

0082/490/160/04/09/0189

Additional Information

User Manual

NT90011466 IND H

Packaging

EAN Code

3660681030504



PRODUCT NUMBER: 1012436
FALCON self-retracting lifelines,

galvanised steel cable - 15m, load indicator with swivel karabiner



Overview

Reference Number

1012436

Product Type

Fall Protection

Range

Fall Arrest Blocks and Winches

Brand

Miller by Honeywell

Industry

- Industry
- Building and Construction

Product Use

Self-retracting lifeline is the ideal fall protection solution for construction, industrial, warehouse, utility, mining and confined space applications. Nearly indestructible, high-impact resistant nylon housing, galvanised steel cable and screwgate karabiner.

Features & Benefits

Feature

Enhanced safety :

The quick-activating braking mechanism stops a fall within centimeters

Fall indicator

Greater comfort of use :

Lightweight with a built-in handle

No annual factory re-certification required : Reduced down time, lower cost of ownership and increased productivity

Benefit

Self-retracting lifeline is the ideal fall protection solution for construction, industrial, warehouse, utility, mining and confined space applications. Nearly indestructible, high-impact resistant nylon housing, galvanised steel cable.

Technical Description

External

Housing

high-impact resistant nylon

Hub

Heat-treated aluminium

Cable

Ø4.5mm galvanised steel

Connectors

Snap hook:

raw material: zinc plated steel

opening: 19 mm

breaking strength: >2000daN

EN 362

Dimensions

Length

342mm

Width

246mm

Thickness

101mm

Opening

17mm

Performance

Working Capacity (m)

15m

Breaking Strength

>1200daN

Weight (kg)

6.7kg

Operating Temperature

-30°C to +50°C

Complementary Information

Braking system

Bronze and stainless steel

EN 360

,

Certifications

 E.C. Declaration of Conformity

EC Category PPE

3

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

333 AFAQ

EC Attestation

 EC Attestation

EC Attestation Number
0082/490/160/04/09/0191

Additional Information

User Manual
NT90011466 IND H

User Information Sheet
User manual

Packaging

EAN Code
3660681030566

© Honeywell International Inc.